



Nerf Recon CS-6 Plunger Replacement

With this guide you can replace the plunger.

Written By: Asad Qureshi



INTRODUCTION

The plunger works with the main spring to launch the dart. The o-ring creates a tight seal to stop air from leaking out when the main spring is compressed. This allows for a more powerful shot.



TOOLS:

- [Phillips #0 Screwdriver](#) (1)
-

Step 1 — Remove Magazine



i Skip this step if magazine is already removed.

- Pull slide back.
- Pull backwards on release buttons and slide magazine out.
- Push slide back forward and pull trigger.

Step 2 — Remove Visible Screws



- Use the Phillips #0 Screwdriver to remove these 9 screws.
- All screws marked in red are 9.6 mm Phillips #0 screws.
- Note that left most screw is longer than the rest and is a 18.6 mm Phillips #0 screw.

Step 3 — Remove Hidden Screws



- Pull slide back to reveal more screws.
 - Remove these 2 screws.
 - Push slide forward.
 - Pull trigger to release compression of the main spring.
 - Screws are 9.6 mm Phillips #0.
- i** Pulling the trigger will keep spring from launching out of the gun when the two halves are separated.

Step 4 — Remove Plunger Cap




- Remove the screws on the plunger cap.
- Tug the plunger cap off.
- Screws are 9.6 mm Phillips #0.

Step 5 — Remove Slide Screws



- Remove the 2 screws on the slide.
- Screws are 9.6 mm Phillips #0.
- ☒ Hold the two halves of the gun together to prevent any springs from launching out.

Step 6 — Split the Gun in Half



- Pull the gun apart at the middle seam.

⚠ Watch for any springs that might launch out.

Step 7 — Remove Spring



- Pull the spring out the back of the gun.

Step 8 — Removing Plunger Guide



- Lift the plunger guide straight up out of the gun.

Step 9 — Remove Plunger



- Pull the plunger out the back of the gun off of the inner piece.

Step 10 — Remove Other Half of Plunger



- Pull the remaining half of the plunger out the back of the gun.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-24 06:45:04 AM.